

## **NEWS REFERENCES**

- [1] C.-G. Bornehag et al, "Prenatal exposure to acetaminophen and children's language development at 30 months," *European Psychology*, vol. 51, pp. 98-103, 2018.
- [2] N. E. Cross et al, "Structural brain correlates of obstructive sleep apnoea in older adults at risk for dementia," *European Respiratory Journal*, vol. 52, no. 1, pii:1800740, 2018.
- [3] M. I. Ullah et al, "Improving PTSD Symptoms and Preventing Progression of Subclinical PTSD to an Overt Disorder by Treating Comorbid OSA With CPAP," *Journal of Clinical Sleep Medicine*, vol. 14, no. 10, pp. 1191-1198, 2017.
- [4] D. L. Brown et al, "Abstract WMP59: Sleep Apnea is Associated with the Combined Endpoint of Recurrent Stroke and Post-Stroke Mortality," *Stroke*, vol. 49, Supplement 1, 2018.
- [5] M. Á. Sánchez-Quiroga, "Primary Care Physicians Can Comprehensively Manage Patients with Sleep Apnea. A Noninferiority Randomized Controlled Trial," *American Journal of Respiratory and Critical Care Medicine*, vol. 198, no. 5, pp. 557-558, 2018.
- [6] R. Mariano et al, "A practical approach to the diagnosis of spinal cord lesions," *Practical Neurology*, vol. 18, no. 3, pp. 187-200, 2018.
- [7] A. Zeki Al Hazzouri et al, "Greater depressive symptoms, cognition, and markers of brain aging: Northern Manhattan Study," *Neurology*, vol. 90, no. 23, pp. e2077-e2085, 2018.
- [8] J. Firth et al, "Association Between Muscular Strength and Cognition in People With Major Depression or Bipolar Disorder and Healthy Controls," *JAMA Psychiatry*, vol. 75, no. 7, pp. 740-746, 2018.
- [9] B. Ramaswamy et al, "Exercise for people with Parkinson's: a practical approach," *Practical Neurology*, vol. 18, no. 5, pp. 399-406, 2018.
- [10] C. R. A. Silveira et al, "Aerobic Exercise is more effective than goal-based exercise for the treatment of cognition in Parkinson's disease," *Brain and Cognition*, vol. 122, pp. 1-8, 2018.
- [11] M. Schenkman et al, "Effect of High-Intensity Treadmill Exercise on Motor Symptoms in Patients With De Novo Parkinson Disease," *JAMA Neurology*, vol. 75, no. 2, pp. 219-226, 2018.
- [12] R. Schwartz et al, "It's a disease of families": Neurologists' insights on how to improve communication and quality of life for families of Parkinson's disease patients," *Chronic Illness*, 2018.
- [13] N. Aly, "Psychiatric disorders in Parkinson's disease," *GM*, 2018.
- [14] N. Patel et al, "Pseudobulbar Affect Correlates With Mood Symptoms in Parkinsonian Disorders but Not Amyotrophic Lateral Sclerosis," *The Journal of Neuropsychiatry and Clinical Neurosciences*, vol. 30, no. 3, pp. 214-219, 2018.
- [15] F.-Y. Lin et al, "Increased risk of overactive bladder in patients with idiopathic Parkinson's disease: Insight from a nationwide population based cohort study," *PLOS One*, vol. 13, no. 3, Online, 2018.
- [16] J. Pasquini et al, "Progression of tremor in early stages of Parkinson's disease: a clinical and neuroimaging study," *Brain*, vol. 141, no. 3, pp. 811-821, 2018.
- [17] B.-D. Li, "Adverse effects produced by different drugs used in the treatment of Parkinson's disease: A mixed treatment comparison," *CNS Neuroscience & Therapeutics*, vol. 23, no. 10, pp. 827-842, 2017.
- [18] S. M. Sisodiya et al, "Valproate and childbearing potential: new regulations," *Practical Neurology*, vol. 18, no. 3, pp. 176-178, 2018.
- [19] M. Maguire et al, "Epilepsy and psychosis: a practical approach," *Practical Neurology*, vol. 18, no. 2, pp. 106-114, 2018.

- [20] L. Nashef et al, "SUDEP, the aftermath: supporting the bereaved," *Practical Neurology*, vol. 17, no. 6, pp. 489-492, 2017.
- [21] E. Stockings et al, "Evidence for cannabis and cannabinoids for epilepsy: a systematic review of controlled and observational evidence," *Journal of Neurology, Neurosurgery & Psychiatry*, vol. 89, no. 7, pp. 741-753, 2018.
- [22] S. R. Haut et al, "Behavioral interventions as a treatment for epilepsy," *Neurology*, vol. 90, no. 11, pp. e963-e970, 2018.
- [23] Chen et al, "Treatment Outcomes in Patients With Newly Diagnosed Epilepsy Treated With Established and New Antiepileptic Drugs: A 30-Year Longitudinal Cohort Study," *JAMA Neurology*, vol. 75, no. 3, pp. 279-286, 2018.
- [24] M. Kim et al, "Major depressive disorder in epilepsy clinics: A metaanalysis," *Epilepsy & Behavior*, vol. 84, pp. 56-69, 2018.
- [25] R. Dobson et al, "Vitamin D supplementation," *Practical Neurology*, vol. 18, no. 1, pp. 35-42, 2018.
- [26] E. Evans et al, "Use of Vitamins and Dietary Supplements by Patients With Multiple Sclerosis: A Review," *JAMA Neurology*, vol. 75, no. 8, pp. 1013-1021, 2018.
- [27] F. De Angelis et al, "New MS diagnostic criteria in practice," 22 9 2018. [Online]. Available: <https://pn.bmj.com/content/early/2018/09/22/practneurol-2018-001945.info>. [Accessed 12 11 2018].
- [28] C. Solaro et al, "Identifying neuropathic pain in patients with multiple sclerosis: a cross-sectional multicenter study using highly specific criteria," *Journal of Neurology*, vol. 265, no. 4, pp. 828-835, 2018.
- [29] K. A. McKay et al, "Psychiatric comorbidity is associated with disability progression in multiple sclerosis," *Neurology*, vol. 90, no. 15, pp. e1316-1323, 2018.
- [30] G. Disanto et al, "Prodromal symptoms of multiple sclerosis in primary care," *Annals of Neurology*, vol. 83, no. 6, pp. 1162-1173, 2018.
- [31] A. Thormann et al, "Comorbidity in multiple sclerosis is associated with diagnostic delays and increased mortality," *Neurology*, vol. 89, no. 16, pp. 1668-1675, 2017.
- [32] T. Fang et al, "Stage at which riluzole treatment prolongs survival in patients with amyotrophic lateral sclerosis: a retrospective analysis of data from a dose-ranging study," *The Lancet Neurology*, vol. 17, no. 5, pp. 416-422, 2018.
- [33] J. Andrews, "Association Between Decline in Slow Vital Capacity and Respiratory Insufficiency, Use of Assisted Ventilation, Tracheostomy, or Death in Patients With Amyotrophic Lateral Sclerosis," *JAMA Neurology*, vol. 75, no. 1, pp. 58-64, 2018.
- [34] J. R. Thonhoff et al, "Expanded autologous regulatory T-lymphocyte infusions in ALS," *Neurology, Neuroimmunology & Neuroinflammation*, vol. 5, no. 4, p. e465, 2018.
- [35] K.-T. Chen et al, "Rheumatic diseases are associated with a higher risk of dementia: A nation-wide, population-based, case-control study," *International Journal of Rheumatic Diseases*, vol. 21, no. 2, pp. 373-380, 2018.
- [36] M.-C. Morris et al, "Nutrients and bioactives in green leafy vegetables and cognitive decline: Prospective study," *Neurology*, vol. 90, no. 3, pp. e214-e222, 2018.
- [37] J. G. Abell et al, "Association between systolic blood pressure and dementia in the Whitehall II cohort study: role of age, duration, and threshold used to define hypertension," *European Heart Journal*, vol. 39, no. 33, pp. 3119-3125, 2018.

- [38] G. Musen et al, "Cognitive Function Deficits Associated With Long-Duration Type 1 Diabetes and Vascular Complications," *Diabetes Care*, vol. 41, no. 8, pp. 1749-1756, 2018.
- [39] A. Maharani et al, "Longitudinal Relationship Between Hearing Aid Use and Cognitive Function in Older Americans," *Journal of the American Geriatrics Society*, vol. 66, no. 6, pp. 1130-1136, 2018.
- [40] M. E. Narad et al, "Secondary Attention-Deficit/Hyperactivity Disorder in Children and Adolescents 5 to 10 Years After Traumatic Brain Injury," *JAMA Pediatrics*, vol. 172, no. 5, pp. 437-443, 2018.
- [41] W. T. Kerr et al, "An objective score to identify psychogenic seizures based on age of onset and history," *Epilepsy & Behavior*, vol. 80, pp. 75-83, 2018.
- [42] R. C. Gardner et al, "Mild TBI and risk of Parkinson disease: A Chronic Effects of Neurotrauma Consortium Study," *Neurology*, vol. 90, no. 20, pp. e1771-e1779, 2018.
- [43] A. Nordström et al, "Traumatic brain injury and the risk of dementia diagnosis: A nationwide cohort study," *PLOS Medicine*, vol. 15, no. 1, (Online), 2018.
- [44] C. Warren-Gash et al, "Laboratory-confirmed respiratory infections as triggers for acute myocardial infarction and stroke: a selfcontrolled case series analysis of national linked datasets from Scotland," *European Respiratory Journal*, vol. 41, no. 3, pii: 1701794, 2018.
- [45] C. Hakulinen et al, "Social isolation and loneliness as risk factors for myocardial infarction, stroke and mortality: UK Biobank cohort study of 479,054 men and women," *Heart*, vol. 104, no. 18, pp. 1536-1542, 2018.
- [46] A. E. Merkler et al, "Population-Based Assessment of the Long-Term Risk of Seizures in Survivors of Stroke," *Stroke*, vol. 49, no. 6, pp. 1319-1324, 2018.
- [47] T. Kurth et al, "Migraine and risk of cardiovascular disease," *The BMJ*, vol. 360, no. 8139, k275, 2018.
- [48] K. Adelborg et al, "Migraine and risk of cardiovascular diseases: Danish population based matched cohort study," *BMJ*, vol. 360, no. 8139, k96, 2018.
- [49] N. R. Greene et al, "A Diary Study of Basic Psychological Needs and Daily Headache Experience," *Headache: The Journal of Head and Face Pain*, vol. 58, no. 4, pp. 581-588, 2018.
- [50] S. Ø. Stensland et al, "The headache of terror: A matched cohort study of adolescents from the Utøya and the HUNT Study," *Neurology*, vol. 90, no. 2, pp. e111-e118, 2018.
- [51] B. Niknejad et al, "Association Between Psychological Interventions and Chronic Pain Outcomes in Older Adults: A Systematic Review and Meta-analysis," *JAMA Internal Medicine*, vol. 178, no. 6, pp. 830-839, 2018.
- [52] A. Terrin et al, "When migraine mimics stroke: A systematic review - Sage Journals," 16 04 2018. [Online]. Available: [https://journals.sagepub.com/doi/abs/10.1177/0333102418767999?rfr\\_dat=cr\\_pub%3Dpubmed&url\\_ver=Z39.88-2003&rfr\\_id=ori%3Arid%3Acrossref.org&journalCode=cepa#articleShareContainer](https://journals.sagepub.com/doi/abs/10.1177/0333102418767999?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=cepa#articleShareContainer). [Accessed 12 11 2018].
- [53] K. D. Jones et al, "A simple screening test to recognize fibromyalgia in primary care patients with chronic pain," *Journal of Evaluation in Clinical Practice*, vol. 24, no. 1, pp. 173-179, 2018.